



## GOLD PLATING ON ALUMINIUM 6061 T6 AND KOVAR

Space Applications Centre (SAC) has developed and qualified a robust gold plating process on Aluminum 6061T6 and Gold plating on Kovar for space use. These processes are qualified for space use with very tight tolerances on various process parameters after subjecting to various tests like visual inspection, adhesion test, and environment tests, and engineering property specific tests conforming ASTM and MIL standards.

Kovar is used to fabricate carrier plates which act as support for MICs for use in communication payloads.

### Salient Features

- This process is developed after undergoing intense qualification plans and tests to withstand harsh space-like conditions
- Acidic gold potassium cyanide plating process
- Easy to control and maintain
- Optimized for uniform and dense thickness

### Applications

Gold plating is used in space grade mechanical components (Electronics circuit housing boxes, carrier plate etc.). In electronics, gold plating is used to provide a corrosion-resistant electrically conductive surface. It is also used extensively in semiconductor industry e.g. in electrical switch contacts, connector pins and barrels and other applications where intermittent electrical contact occurs. Gold plating is generally practiced in aerospace applications.



## Specifications

### Plating on Aluminum 6061T6

Undercoat	Nickel-Phosphorous (Electroless Nickel)
Composition of undercoat	Nickel – Phosphorous (8-12%)
Undercoat thickness	10-12 $\mu$
Topcoat	Gold (Electroplating)
Type of Gold Plating	Acidic Gold Potassium Cyanide
Purity of Gold	99.99%
Thickness of Gold plating	2.5 $\pm$ 0.5 $\mu$

### Gold Plating on Kovar

Undercoat	Nickel (Electroplating)
Undercoat thickness	3-4 $\mu$
Topcoat	Gold (Electroplating)
Type of Gold Plating	Acidic Gold Potassium Cyanide
Purity of Gold	99.99%
Thickness of Gold plating	2.5 $\pm$ 0.5 $\mu$

## Technology Transfer

SAC/ISRO offers to transfer this technology of the **Gold Plating On Aluminium 6061 T6 and Kovar** developed by SAC to industries in India with adequate experience and facilities. Enterprises interested in obtaining knowhow may write giving details of their present activities, infrastructure and facilities.

Technology Transfer & Industry Interface Division (TTID), PPG  
Space Applications Centre (SAC), ISRO, Ambawadi Vistar,  
Ahmedabad - 380 015  
Email: [ttid@sac.isro.gov.in](mailto:ttid@sac.isro.gov.in)  
Fax: 079-26915817  
[https://www.sac.gov.in/SAC\\_Industry\\_Portal](https://www.sac.gov.in/SAC_Industry_Portal)

